

SPECIFICATION CHART			
SL.	ITEMS	DETAILS	
DÉCOR ITEMS	01	Dry Wall	Main Structure: 25mm X 50mm accurate sized Seasoned Gorjon wood Thickness : 75mm minimum Outer Material: 12mm Particle Board on BOTH SIDE Board Brand: Partex / Amber / Super Finish : 03 coats of matte plastic paint Color: As per Design/Chart given
	02	RCC Wall	150mm thick RCC CAST wall with adequate Shutter and reinforcement as per Structural Engineer, Bangladesh Bank & Authority Guideline Ver. Reinforcement : 16mm @ 100mm C/C gap Hor. Reinforcement : 12mm @ 100mm C/C gap Outer Finish : 6-10mm Plain Plaster with 03 coats of matte plastic paint Cement Quality: Crown Cement/Shah Cement/Reputed Brand/Portland Cement with appropriate water proofing.
	03	Plain Panel Wall	Main Structure: 25mm X 50mm accurate sized Seasoned Gorjon wood Thickness : 75mm minimum Outer Material: 12mm Particle Board on ONE SIDE Board Brand: Partex / Amber / Super Finish : 03 coats of matte plastic paint Color: As per Design/Chart given
	04	Louver Panel Wall	Main Structure: 25mm X 50mm accurate sized Seasoned Gorjon wood Thickness : 25x100 mm Louver @ 100mm C/C gap Outer Material: 12/25mm Particle Board Board Brand: Partex / Amber / Super Finish : 03 coats of matte plastic paint Color: As per Design/Chart given
	05	Feature Wall	Main Structure: Particle Board / Plywood Outer Material: 10mm Tempered Glass Finish : 03 coats of matte plastic paint on rear side Color: As per Design/Chart given
	06	Plain Ceiling	Main Structure: 25mm X 50mm Gorjon wood Thickness : 100mm minimum Outer Material: 12mm Particle Board on ONE SIDE Board Brand: Partex / Amber / Super Finish : 03 coats of matte plastic paint Color: As per Design/Chart given
	07	Louvered Ceiling	Main Structure: 25mm X 50mm Seasoned Gorjon wood Thickness : 25x100 mm Louver @ 100mm C/C gap Outer Material: 12/25mm Particle Board Board Brand: Partex / Amber / Super Finish : 03 coats of matte plastic paint Color: As per Design/Chart given
	08	Planter Box	Main Structure: 18mm Laminated Particle Board Board Brand: Partex / Amber / Super Board Edging : Heat glue fitted 2mm Thick Edging Dimension : 600 X 600 x 600 (mm) Color: As per Design/Chart given
	09	Light Box	Main Structure: 12mm MS Thread Rod Size: 100 X 300 X 2400 mm Outer Material: 12mm Particle Board on BOTH SIDE Board Brand: Partex / Amber / Super Finish : 03 coats of matte plastic paint Color: As per Design/Chart given

FURNITURES	10	Cabinet Low Height	<p>Main Structure: 18mm Laminated Melamine Board Front Door : 18mm Laminated Melamine Board Back : 6mm Hard Board with 03mm PVC board Edging: 2mm Thick heat glued edging Board Brand: Partex / Amber / Super Hardware: imported SS hardware, handle & Soft closing hydraulic hinge Color: As per Design/Chart given Dimension: 750mm (H) X 450mm (D)</p>
	11	Cabinet Full Height	<p>Main Structure: 18mm Laminated Melamine Board Front Door : 18mm Laminated Melamine Board Back : 6mm Hard Board with 03mm PVC board Edging: 2mm Thick heat glued edging Board Brand: Partex / Amber / Super Hardware: imported SS hardware, handle & Soft closing hydraulic hinge Color: As per Design/Chart given Dimension: 2400m (H) X 450mm (D)</p>
	12	Help Desk	<p>Main Structure: 18mm Laminated Melamine Board Edging: 2mm Thick heat glued edging Board Brand: Partex / Amber / Super Hardware: imported SS hardware, handle & Soft closing hydraulic hinge Color: As per Design/Chart given Dimension: 2400m (L) X 600mm (W) X 1200mm (H)</p>
	13	Cash Counter	<p>Main Structure: 18mm Laminated Melamine Board Front Structure: 10mm Frosted Tempered Glass with Lighting Edging: 2mm Thick heat glued edging Board Brand: Partex / Amber / Super Hardware: imported SS hardware, handle & Soft closing hydraulic hinge Color: As per Design/Chart given Dimension: 600mm (W) X 1200mm (H)</p>
	14	Executive Desk	<p>Legs & Mid Support: 25x75mm Powder Coated MS Box (1.5mm Thickness) Desk Top: 25mm Laminated Melamine Board Edging: 2mm Thick heat glued edging Cable Management : 150x150mm powder coated MS cable tray with individual Cable Snake for each user Wire Cap : 100mm SS round wire cap Dimension: 2400m (L) X 1200mm (W) X 750mm (H) Color: As per Design/Chart given</p>
	15	HOD Desk	<p>Legs & Mid Support: 25x75mm Powder Coated MS Box (1.5mm Thickness) Desk Top: 25mm Laminated Melamine Board with 600x1500mm Front Privacy seperator of 18mm Laminated Melamine Board Edging: 2mm Thick heat glued edging Cable Management : 150x150mm powder coated MS cable tray with individual Cable Snake Wire Cap : 100mm SS round wire cap Board Brand: Partex / Amber / Super Dimension: 1800m (L) X 750mm (W) X 750mm (H) Color: As per Design/Chart given</p>
	16	CEO Desk Setup	<p>Legs & Mid Support: 25x75mm Powder Coated MS Box (1.5mm Thickness) Desk Top: 25mm Laminated Melamine Board with 600x1500mm Front Privacy seperator of 18mm Laminated Melamine Board Cable Management : 150x150mm powder coated MS cable tray with individual Cable Snake Edging: 2mm Thick heat glued edging Wire Cap : 100mm SS round wire cap Board Brand: Partex / Amber / Super Dimension: 2400m (L) X 900mm (W) X 750mm (H) Color: As per Design/Chart given</p>

17	Small Meeting Table	<p>Desk Top: 25mm Laminated Melamine Board with Legs: Powder Coated Imported MS Legs Cable Management : 150x150mm powder coated MS cable tray with individual Cable Snake Edging: 2mm Thick heat glued edging Wire Cap : 100mm SS round wire cap Board Brand: Partex / Amber / Super Dimension: 1200m (L) X 1200mm (W) X 750mm (H) Color: As per Design/Chart given</p>
18	Conference Table	<p>Desk Top: 25mm Lacquer finish Vineer Board with Legs: Powder Coated Imported MS Legs Cable Management : 150x150mm powder coated MS cable tray with individual Cable Snake Edging: 2mm Thick heat glued edging Wire Cap : 100mm SS round wire cap Board Brand: Partex / Amber / Super Dimension: 4800m (L) X 1400mm (W) X 750mm (H) Color: As per Design/Chart given</p>
19	Dining Table	<p>Main Structure: 18mm Laminated Melamine Board Edging: 2mm Thick heat glued edging Board Brand: Partex / Amber / Super Hardware: imported SS hardware, handle & Soft closing hydraulic hinge Color: As per Design/Chart given Dimension: 1200m (L) X 750mm (W) X 750mm (H)</p>
20	Breakout Table	<p>Desk Top: 25mm Laminated Melamine Board Edging: 2mm Thick heat glued edging Legs: Powder Coated Imported MS Legs Board Brand: Partex / Amber / Super Dimension: 1200m (L) X 1200mm (W) X 750mm (H) Color: As per Design/Chart given</p>
21	CPU Tray	<p>Main Structure: 18mm Laminated Melamine Board Edging: 2mm Thick heat glued edging Board Brand: Partex / Amber / Super Hardware: imported SS hardware & 75mm trolley wheel with press locking Color: As per Design/Chart given Dimension: 1200m (L) X 1200mm (W) X 100mm (H)</p>
22	Drawer Unit	<p>Main Structure: 18mm Laminated Melamine Board Edging: 2mm Thick heat glued edging Board Brand: Partex / Amber / Super Hardware: imported SS hardware, handle, 3part channel & Soft closing hydraulic hinge Color: As per Design/Chart given Dimension: 400m (L) X 400mm (W) X 750mm (H)</p>

CHAIRS & SEATINGS	23	Executive Chair	Main Frame: Chrome finished metal Upholstry: Woven Fabric Lumber Support: Medium Back Ground Support: Cluster wheel with hydraulic push back Country of origin: Malayasia / China
	24	HOD Chair	Main Frame: Chrome finished metal Upholstry: Woven Fabric Lumber Support: High Back Ground Support: Cluster wheel with hydraulic push back Country of origin: Malayasia / China
	25	CEO Chair	Main Frame: Chrome finished metal Upholstry: Genuine / PU Leather, flexible wiremesh Lumber Support: High Back with Head rest Ground Support: Cluster wheel with hydraulic push back Country of origin: USA / Malayasia
	26	Visitor Chair	Main Frame: Chrome finished metal Upholstry: Woven Fabric / PU Leather Lumber Support: Medium Back Ground Support: Fixed leg with anti slip stopper Country of origin: Malayasia / China / Local
	27	Single Seater Sofa	Main Frame: Metal / Wood Upholstry: Woven Fabric / PU Leather Lumber Support: Medium Back Ground Support: Fixed leg with anti slip stopper Country of origin: Local / China
	28	Double Seater Sofa	Main Frame: Metal / Wood Upholstry: Woven Fabric / PU Leather Lumber Support: Medium Back Ground Support: Fixed leg with anti slip stopper Country of origin: Local / China
	29	Waiting Sofa	Main Frame: Metal / Wood Upholstry: Woven Fabric / PU Leather Lumber Support: Medium Back Ground Support: Fixed leg with anti slip stopper Country of origin: Local / China
	30	Bean Bag	Local made XL size Bean Bag with Leg Support
	31	Cozy Chair	Main Frame: Metal / Wood Upholstry: Woven Fabric / Formcast PPG Lumber Support: Medium Back Ground Support: Fixed leg with anti slip stopper Country of origin: Local / China
	GLASS ITEMS	32	Glass Partition
33		Glass Door (with long handle)	900mm X 2400mm X 10mm (Thicknesss) tempered glass door with 5mm MS Plate Powder Coated 75mmX1200mm long handle, with kin long / vvp door closure, stainless steal hinge, fittings, bottom lock and all accessories.
34		Glass Door (with short handle)	900mm X 2400mm X 10mm (Thicknesss) tempered glass door with regular 300mm long handle, with kin long / vvp door closure, stainless steal hinge, fittings, bottom lock and all accessories.
35		Frosted Sticker	Supply and installation of Plain opaque glass sticker
	36	Circuit Breaker (SP) (10-32A)	Brand:, ABB / Schneider / EATON Rating: 10-32A
	37	TP MCB 32A	Brand:, ABB / Schneider / EATON Rating: 32A
	38	DB	Brand:, HAVELLS Rating: N/A
	39	MCCB (160A)	Brand:, ABB / Schneider / EATON Rating: 160A
	40	4 Gang Switch	Brand:, ArtDNA Model: Must be approved by architect
	41	Multi Socket	Brand:, ArtDNA Model: Must be approved by architect
	42	Cable Tray 8"	Size: 200mm (W) X 50mm (H) Tray material: 20-22gauge Perforated MS Sheet with matte enamel paint Support: MS thread Rod with washer and nut

ELECTRIC ITEMS	43	PVC Pipe	Brand:, NPoly / RFL / Equivalent Size: As Required
	44	Switch Box	PVC/ Plastic conceal box
	45	LED T5 Tube Light	LED Tube light with all necessary accessories Power Draw: 16-18W Color Temperature : 2500-3000k or 4500-5000k where required Brand:, Pasha / RFL / SuperStar / Similar Grade
	46	LED Spot light	LED Spot light with all necessary accessories Power Draw: 8-10W Color Temperature : 2500-3000k Brand:, Pasha / RFL / SuperStar / Similar Grade
	47	Cable 1.50 RM	Brand: BRB
	48	Cable 2.50 RM	Brand: BRB
	49	Cable 4.00 RM	Brand: BRB
	50	Cable 1.50 RE	Brand: BRB
	51	Cable 2.50 RE	Brand: BRB
	52	Cable 35.0 RM	Brand: BRB
	53	Track Light 20W	LED Track light with all necessary accessories Power Draw: 20W Color Temperature : 2500-3000k Brand:, Pasha / RFL / SuperStar / Similar Grade
	54	HDMI Cable	Imported Cable supporting 1080p FHD
	55	Moving Fan (MIRA)	16" wall mount MIRA Moving Fan
	56	40W Bracket Light	LED Tube light with all necessary accessories Power Draw: 35-40W Color Temperature : 4500-5000k Brand:, Pasha / RFL / SuperStar / Similar Grade
FIRE SAFETY SYSTEM	57	Sprinkler	Size: NPT-15mm Type: Standard Response, Temp.: 68°C Bulb Liquid: Red.
	58	Sprinkler Control Valve	100mm Sprinkler Zone Control Valve (Butterfly Valve, Check Valve, Pressure Gauge, Drain Valve etc)
	59	MS Pipe 100 mm Dia	MS pipe of 100 mm dia with 02 Coats of anti corrosion paint
	60	MS Pipe 65 mm Dia	MS pipe of 65 mm dia with 02 Coats of anti corrosion paint
	61	MS Pipe 50 mm Dia	MS pipe of 50 mm dia with 02 Coats of anti corrosion paint
	62	MS Pipe 40 mm Dia	MS pipe of 40 mm dia with 02 Coats of anti corrosion paint
	63	MS Pipe 32 mm Dia	MS pipe of 32 mm dia with 02 Coats of anti corrosion paint
	64	MS Pipe 25 mm Dia	MS pipe of 25 mm dia with 02 Coats of anti corrosion paint
65	Fitings & Accessories	All fittings and welded joints including Tee, Elbow, Reducer, Flange, Socket, Nipple, Gasket, Nuts, Bolts, Washer, Welding Rod, Cutting Disk, etc as per required	
	66	Roller Blind	Installation of plain roller blinds with manual operation system
	67	General Plumbing Works**	All necessary plumbing works remains, excluding the items mentioned above and any items provided by the asset owner.
	68	Grass Carpet	Imported GRASS Fabric carpet ar per Architects Design Thicknesss: 35-40 mm
	69	Raised Flooring for Small Meeting	Main Structure: Plywood Thicknesss: 100 mm
	70	Raised Flooring for Server Room	Main Structure: MS / Aluminium Top: Anti Static Flooring
	71	Treadmill for Recreation	Imported Electric DC Motorised Trademill with inclination support Capacity: 120 kg min. Motor Power : 2.0HP min.
	72	Branding & Signage (Interior)**	01. Making, fabricating, supply, fitting and fixing of signage work using Top Part 18 SWG MS Box Type Letter CNC Cutting, 20 SWG MS Side border depth1.5", With as per color docu paint, Hei Setting, Best quality LED Light, Back Light 30 MPR Power supply, warring cable, making finishing fitting fixing complete. Size : 1500mm X 1500mm Quantity: 02 nos 02. 10mm Imported Acrylic hanging nameplate with UV printed BACK PLATE, suspended with SS chain Size : 600mm X 200mm Quantity: 30 nos Painting Grade: Burger Paint/ Asian Paint/ Similar Reported paint Grade

OTHER ITEMS	73	Branding & Signage (Exterior)**	01. Making, fabricating, supply, fitting and fixing of signage work using Top Part 18 SWG MS Box Type Letter CNC Cutting, 20 SWG MS Side border depth 1.5", With asper color do co paint, Hei Setting, Best quality LED Light, Back Light 30 MPR Power supply, warring cable, making finishing fitting fixing complete. Size : 4500mm X 400mm Quantity: 02 nos Painting Grade: Burger Paint/ Asian Paing/ Similar Reported paint Grade
	74	Paint Work	03 coats of matte plastic paints including lime putty as required, as per Design/Chart given. Painting Grade: Burger Paint/ Asian Paing/ Similar Reported paint Grade
	75	Notice Board	Main Frame: Particle Board Upholstry: Woven Fabric with Rubber insole
	76	Locker Door	Supply and Fitting/ Fixing of fire proof strong room door with grill door (Locker Door). Size: 2100mm X 1200mm X 250mm Main Door material : 06 mm thick MS plate (both side) Inner Door material : 03 mm thick MS plate. Total thickness of door with lock case : 125mm. Total thickness of door frame: 250mm wall opening front & back. Strongly build up with the door slab by solid steel flanges on two sides with heavy lock case fitted with 11 no. powerful shooting bolts each having 1.5" diameter and should work simultaneously by a pilot wheel. Two locks each of (10 lever) fitted with inner door 01-unit plate. Each different sets of all keys to be double fitted and to be supplied in duplicate. The door should be completely fire proof and the thickness of protection Fire Clay powder will be 15mm. Strongly constructed of 16mm MS Rod 10 nos fitted into strong MS Angle of 50mm X 50mm X 4mm. The ventilation grill door is to be secured with unpickable lock controlled from outside. The grill door is to be fitted in the same frame.
	77	Front Shutter	Manual See Through Roling Shutter Material: 12mm MS round bar, with auto returning spring system including upper MS cover. All metal parts must be covered with 02 coats of Anti Corrosion Paint, and 03 coats of Matte Enamel paint
	78	Inaugration Plate	Size : 500mm X 1000mm Hairline SS plate of 04mm thickness, with chemical etched and chlorinated rubberised inlay paint as per proposed design of the consultant, approved by the client.
	79	Site management & maintaining Cost	All cost including dismentaling, cleaning, mobilization, Transportation, Security Staff's expenses

NOTE:

** All materials must be purchased from factory or authorised distributors

** Documents to proof the authenticity of the raw materials must be submitted to the client.